

Trade name: AVISTA Kernsolvat KS 150

Substance number

Version: 6 / GB

Date revised: 10.01.2022

Replaces Version: 5 / GB

Print date: 10.01.22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

AVISTA Kernsolvat KS 150

Registration no.

EC No.: 265-090-8

CAS No. 64741-88-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Base oil for further processing, Having regard to the application proposed and identified by CONCAWE. The specification of the identified applications is not required because the substance is not subject to registration as per REACH regulation.

Uses advised against

No applications known.

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

AVISTA OIL Deutschland GmbH

Bahnhofstr. 82

31311 Uetze

Telephone no. + 49 51 77 / 85 - 0

Information provided productmanagement (+49 51 77 / 85 - 178 or 171)

by / telephone

E-mail address of msds@avista-oil.de

person responsible

for this SDS

1.4. Emergency telephone number

CHEMTREC: +1-703-527-3887 (worldwide, 24h a day / 7 days a week)

+43 1 3649237 (Austria)

+32 2 808 32 37 (Belgium)

+359 32 570 104 (Bulgaria)

+420 228 880 039 (Czech Republic)

+45 69 91 85 73 (Denmark)

+49 69 643508409 (Germany)

+972 3-763-0639 (Israel)

+371 66 165 504 (Latvia)

+370 5 214 0238 (Lithuania)

+60 3-9212 5794 (Malaysia)

+389 2 551 7456 (Macedonia)

+31 85 888 0596 (The Netherlands)

+48 22 398 80 29 (Poland)

+40 376 300 026 (Romania)

+46 8 525 034 03 (Sweden)

+386 1 888 80 16 (Slovenia)

+886 2 7741 4207 (Taiwan)

080 822 1374 (South Korea)

+380 94 710 1374 (Ukraine)

+36 1 808 8425 (Hungary)

SECTION 2: Hazards identification

Trade name: AVISTA Kernsolvat KS 150

Substance number

Version: 6 / GB

Date revised: 10.01.2022

Replaces Version: 5 / GB

Print date: 10.01.22

2.1. Classification of the substance or mixture

Voluntary product information following the Safety Data Sheet format

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

The product does not require a hazard warning label in accordance with Regulation (EC) No 1272/2008.

2.3. Other hazards

Product can form a film on the water surface that can prevent oxygen exchange. Refer to section 11, 12 and 15.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

Mineral oil

Other information

The substance does not require registration according to Regulation (EC) No 1907/2006 [REACH]. [Item 2.7 d] DMSO extract: < 3 %.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of persistent symptoms consult doctor. Never give anything by mouth to an unconscious person.

After inhalation

In the event of symptoms take medical treatment. Remove the casualty into fresh air and keep him calm.

After skin contact

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists. Remove contaminated clothing.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, Dry powder, Carbon dioxide



Trade name: AVISTA Kernsolvat KS 150

Substance number

Version: 6 / GB

Date revised: 10.01.2022

Replaces Version: 5 / GB

Print date: 10.01.22

Non suitable extinguishing media

Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Pyrolysis products; Hydrocarbons; Carbon dioxide (CO₂); Carbon monoxide (CO); Hydrogen sulfide (H₂S); Nitrogen oxides (NO_x); Phosphorus oxides; Smoke.

5.3. Advice for firefighters**Special protective equipment for fire-fighting**

In case of combustion use a suitable breathing apparatus. Wear full protective suit. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Exclude sources of ignition and ventilate the area. Avoid contact with skin, eyes and clothing. High risk of slipping due to leakage/spillage of product. Avoid breathing vapours.

6.2. Environmental precautions

Do not allow to enter drains or waterways. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). When picked up, treat material as prescribed under Section 13 "Disposal".

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Hot product develops flammable vapours. Handle and open container with care. Avoid skin and eye contact. Avoid formation of oil dust.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. Do not smoke. Take precautionary measures against static discharge.

Classification of fires / temperature class / Ignition group / Dust explosion class

Classification of fires B (Combustible liquid substances)

7.2. Conditions for safe storage, including any incompatibilities**Recommended storage temperature**

Value	<=	80	°C
-------	----	----	----

Requirements for storage rooms and vessels

Keep only in original packaging.

Hints on storage assembly

Keep away from flammable substances.

Storage class according to TRGS 510

Storage class according to TRGS 510	10	Flammable liquids
-------------------------------------	----	-------------------



Trade name: AVISTA Kernsolvat KS 150

Substance number

Version: 6 / GB

Date revised: 10.01.2022

Replaces Version: 5 / GB

Print date: 10.01.22

Further information on storage conditions

Due to temporary runtime tests, the product can be stored at a storage temperature of 80°C without changing the general product quality. As a result of oxidative processes, only a slight change in colour of the product can be observed. Keep container tightly closed and dry. Keep in a cool place

7.3. Specific end use(s)

see product information

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Other information**

There is not known any national exposure limit.

8.2. Exposure controls**Exposure controls**

Technical measures for preventing exposition. Organisational measures for preventing exposition. Provide adequate ventilation. The type of personal protective equipment must be selected depending on the concentration and quantity of the hazardous substance at the workplace.

General protective and hygiene measures

Observe the usual precautions for handling chemicals. Store work clothing separately. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. Do not eat, drink or smoke during work time. Personal protective equipment must comply with the Council Directive 89/686/EEC and the resulting CEN standards.

Respiratory protection

Not necessary, but do not inhale vapours. In situations where misting or flying may occur use appropriate certified respirators. Short term: filter apparatus, combination filter A-P2

Hand protection

For this purpose, protective gloves are suitable, for instance, made by the company KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail: vertrieb@kcl.de with the following specification (tested as per EN374):

Use Permanent hand contact

Camatril (Item No: 731; Material: Nitrile; Minimum layer thickness: 0.33 mm; Burst time: 480 min)

Dermatril (Item No: 740; Material: Nitrile; Minimum layer thickness: 0.11 mm; Burst time: 30 min)

The protective gloves to be used must comply with the specifications of the EU directive 89/686/EEC and the standard EN374 derived from it. The above mentioned burst times are based on laboratory measurements of KCL made as per EN 374 and are applicable only for this KCL product.

Preventive skin protection by protective skin ointment.

Eye protection

Tightly fitting safety glasses; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry. Protective gloves resistant to chemicals; With steel toe cap.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Form	liquid
Colour	light yellow
Odour	characteristic
pH value	
Remarks	Not applicable



Trade name: AVISTA Kernsolvat KS 150

Substance number

Version: 6 / GB

Date revised: 10.01.2022

Replaces Version: 5 / GB

Print date: 10.01.22

Melting point

Remarks not determined

Freezing point

Remarks not determined

Initial boiling point and boiling range

Value > 300 °C

Flash point

Value > 230 °C

Method ISO 2592

Pour Point

Value <= -9 °C

Method DIN ISO 3016

Upper/lower flammability or explosive limits

Lower explosion limit 0,6 %(V)

Upper explosion limit 6,5 %(V)

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

DensityValue 0,849 to 0,859 g/cm³

Temperature 15 °C

Solubility in water

Remarks insoluble

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks not determined

Viscosity**kinematic**Value 32 to 36 mm²/s

Temperature 40 °C

kinematicValue 5,7 to 6,3 mm²/s

Temperature 100 °C

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

Stable under recommended storage and handling conditions (see section 7).

10.3. Possibility of hazardous reactions

Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.

10.4. Conditions to avoid

Oxidising agents



Trade name: AVISTA Kernsolvat KS 150

Substance number

Version: 6 / GB

Date revised: 10.01.2022

Replaces Version: 5 / GB

Print date: 10.01.22

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Refer to section 5.3.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Remarks May cause sensitization by skin contact.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Other information

This substance has no endocrine properties.

SECTION 12: Ecological information**12.1. Toxicity****General information**

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability**Biodegradability**

Remarks The product is not readily biodegradable according to OECD criteria but is inherently biodegradable.



Trade name: AVISTA Kernsolvat KS 150

Substance number

Version: 6 / GB

Date revised: 10.01.2022

Replaces Version: 5 / GB

Print date: 10.01.22

12.3. Bioaccumulative potential

General information

Can be enriched in organisms.

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

Mobility in soil

Adsorbs on soil.

12.5. Results of PBT and vPvB assessment

Evaluation of persistence and bioaccumulation potential

This substance does not meet the criteria for the classification as PBT or vPvB.

12.6. Other adverse effects

General information

This substance has no endocrine properties.

Behaviour in environment compartments

Product can accumulate in organisms.

Behaviour in sewers [waste treatment plants]

May be separated out mechanically in purification plants.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Disposal as per EC directive 75/442/ECC and 91/689/ECC on waste and hazardous waste in the current versions as amended from time to time.

The waste code numbers/waste designations are to be assigned in accordance with EWC with reference to industrial fields and processes.

Dispose of waste according to applicable legislation.

EWC waste code 13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

Dispose of as hazardous waste.

Disposal recommendations for packaging

EWC waste code 13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

Packaging that cannot be cleaned should be disposed off as product waste.

Uncontaminated packaging may be taken for recycling.

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

Land transport ADR/RID

Non-dangerous goods

14.1. UN number

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

14.4. Packing group



Trade name: AVISTA Kernsolvat KS 150

Substance number

Version: 6 / GB

Date revised: 10.01.2022

Replaces Version: 5 / GB

Print date: 10.01.22

Packing group -

14.5. Environmental hazards

-

Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

14.1. UN number

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

14.4. Packing group

Packing group -

Air transport ICAO/IATA

The product does not constitute a hazardous substance in air transport.

14.1. UN number

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

14.4. Packing group

Packing group -

14.5. Environmental hazards

-

Information for all modes of transport**14.6. Special precautions for user**

The relevant transport regulations have to be considered.

Other information**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

no

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Other information**

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information**Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.