

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# AVISTA peer EVO PRIME GL4/GL5 SAE 80W-90

Revision date: 30.06.2023 Product code: 150214 Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

AVISTA peer EVO PRIME GL4/GL5 SAE 80W-90

UFI: 1FRY-D8M9-SD1W-PH1N

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Gear oil

### Uses advised against

---

# 1.3. Details of the supplier of the safety data sheet

Company name: AVISTA OIL Deutschland GmbH

Street: Bahnhofstraße 82
Place: D-31311 Dollbergen
Telephone: +49 5177-850
E-mail: msds@avista-oil.de

Contact person: Product management Telephone: +49 5177-178 (Only available

during office hours.)

E-mail: msds@avista-oil.de Internet: www.avista-oil.de

1.4. Emergency telephone CHEMTREC: +1-703-527-3887 (international, 24h aday / 7 days a week)

number:

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

# Regulation (EC) No 1272/2008

### Hazard components for labelling

Polysulfide, Di-tert-butyl-

Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl

Magnesium metaborate

Signal word: Warning

Pictograms:



# **Hazard statements**

H317 May cause an allergic skin reaction.

# **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **AVISTA peer EVO PRIME GL4/GL5 SAE 80W-90**

Revision date: 30.06.2023 Product code: 150214 Page 2 of 10

P302+P352 IF ON SKIN: Wash with plenty of Water and soap.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

# 2.3. Other hazards

Product can form a film on the water surface that can prevent oxygen exchange. Refer to section 11, 12 and 15

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
68937-96-2	Polysulfide, Di-tert-butyl-			1 - < 5 %	
	273-103-3		01-2119540515-43		
	Skin Sens. 1B, Aquatic Chronic 3;	H317 H412			
Mixture	Mineral Oil			1 - < 5 %	
	Asp. Tox. 1; H304				
	Reaction products of 4-methyl-2-p esterified with diphosphorus penta	1 - < 5 %			
	931-384-6		01-2119493620-38		
	Acute Tox. 4, Eye Dam. 1, Skin Se				
64742-55-8	Distillates (petroleum), hydrotreate	1 - < 5 %			
	265-158-7	649-468-00-3	01-2119487077-29		
	Asp. Tox. 1; H304				
13703-82-7	Magnesium metaborate	< 1 %			
	237-235-5		01-2120769073-53		
	Skin Sens. 1B; H317				
597-82-0	O,O,O-triphenyl phosphorothioate	< 1 %			
	209-909-9		01-2119979545-21		
	Repr. 2; H361fd				

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	imits, M-factors and ATE	
		Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl	1 - < 5 %
	oral: LD50 = >2000 mg/kg    Eye Dam. 1; H318: >= 50 - 100    Eye Irrit. 2; H319: >= 50 - < 50		
597-82-0	209-909-9	O,O,O-triphenyl phosphorothioate	< 1 %
	Repr. 2; H361fd: >= 4,1 - 100		

### **Further Information**

Test data shows that the contained C16-18 (even numbered, saturated and unsaturated) alkylamines do not lead to a classification of the product as "Aquatic Chronic 2".

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# AVISTA peer EVO PRIME GL4/GL5 SAE 80W-90

Revision date: 30.06.2023 Product code: 150214 Page 3 of 10

#### **General information**

When in doubt or if symptoms are observed, get medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest.

Get medical advice/attention if you feel unwell.

#### After contact with skin

Immediately remove any contaminated clothing, shoes or stockings.

After contact with skin, wash immediately with plenty of water and soap.

In case of skin irritation, consult a physician.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

#### After ingestion

Do NOT induce vomiting. Call a physician immediately.

Observe risk of aspiration if vomiting occurs.

### 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

### 4.3. Indication of any immediate medical attention and special treatment needed

First aider: Pay attention to self-protection!

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Foam, Carbon dioxide (CO2), Extinguishing powder, Water spray jet.

### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

The formation of combustible vapours is possible at temperatures above: Flash point.

In case of fire may be liberated:

Hydrocarbons, Pyrolysis products, toxic, Carbon dioxide (CO2), Carbon monoxide, Hydrogen sulphide (H2S),

Nitrogen oxides (NOx), Phosphorus oxides.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear full chemical protective clothing.

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **Additional information**

B (Fires of liquids or liquid turning substances)

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Special danger of slipping by leaking/spilling product. Conditions to avoid: Inhalation. Keep away from sources of ignition - No smoking. Avoid contact with eyes and skin.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# AVISTA peer EVO PRIME GL4/GL5 SAE 80W-90

Revision date: 30.06.2023 Product code: 150214 Page 4 of 10

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

All work processes must always be designed so that the following is excluded: Generation/formation of mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Handle and open container with care.

#### Advice on protection against fire and explosion

Take precautionary measures against static discharges.

# Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Do not put any product-impregnated cleaning rags into your trouser pockets. Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work. When using do not eat, drink or smoke. Separate storage of work clothes.

#### Further information on handling

The formation of combustible vapours is possible at temperatures above: Flash point

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep/Store only in original container.

# Hints on joint storage

Keep away from: Oxidising agent, strong

# Further information on storage conditions

Do not expose to temperatures above 50 °C.

Keep container tightly closed in a cool, well-ventilated place.

### 7.3. Specific end use(s)

see product information

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# AVISTA peer EVO PRIME GL4/GL5 SAE 80W-90

Revision date: 30.06.2023 Product code: 150214 Page 5 of 10

### **DNEL/DMEL values**

CAS No	Name of agent				
DNEL type		Exposure route	Effect	Value	
Mixture	Mineral Oil				
Worker DNEL	, long-term	inhalation	local	5,58 mg/m³	
Worker DNEL	., long-term	inhalation	systemic	2,73 mg/m³	
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day	
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	local	1,19 mg/m³	
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified				
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day	
Worker DNEL, long-term		inhalation	systemic	2,7 mg/m³	
Worker DNEL, long-term		inhalation	local	5,58 mg/m³	

#### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls

### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

### Individual protection measures, such as personal protective equipment

# Eye/face protection

Wear eye/face protection. EN 166

# **Hand protection**

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Replace when worn.

For this purpose, protective gloves are suitable, for instance, made by the company KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail: vertrieb@kcl.de with the following specification (tested as per EN374):

In case of full contact/spray contact:

Camatril (Item No: 731; Material: Nitrile; Minimum layer thickness: 0.33 mm; Burst time: 480 min)

Dermatril (Item No: 740; Material: Nitrile; Minimum layer thickness: 0.11 mm; Burst time: 30 min)

The protective gloves to be used must comply with the specifications of the EU directive 89/686/EEC and the standard EN374 derived from it. The above mentioned burst times are based on laboratory measurements of KCL made as per EN 374 and are applicable only for this KCL product.

Preventive skin protection by protective skin ointment.

# Skin protection

The type of personal protective equipment must be selected depending on the concentration and quantity of the hazardous substance at the workplace. For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

Chemical resistant safety shoes

#### Respiratory protection

Generation/formation of mist: Filtering device with filter or ventilator filtering device of type:A2 P2

### **Environmental exposure controls**

Technical measures for preventing exposition



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **AVISTA peer EVO PRIME GL4/GL5 SAE 80W-90**

Revision date: 30.06.2023 Product code: 150214 Page 6 of 10

Organisational measures for preventing exposition

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: light yellow - light brown

Odour: characteristic

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

>320 °C

boiling range:

Flammability: not determined Lower explosion limits: 0,6 vol. % Upper explosion limits: 6,5 vol. %

Flash point: >200 °C DIN ISO 2592

Auto-ignition temperature: not determined

Decomposition temperature: not applicable
pH-Value: not applicable

Viscosity / kinematic: 142 mm²/s ASTM D7279

(at 40 °C)

Water solubility: practically insoluble

Solubility in other solvents not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density (at 15 °C): 0,87-0,91 g/cm³ DIN EN ISO 12185

Relative vapour density: not determined Particle characteristics: not applicable

## 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

none

## Other safety characteristics

Pour point: <-30 °C ASTM D7346

**Further Information** 

none

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point

# 10.4. Conditions to avoid

Oxidising agent, strong

# 10.5. Incompatible materials

No data available



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **AVISTA peer EVO PRIME GL4/GL5 SAE 80W-90**

Revision date: 30.06.2023 Product code: 150214 Page 7 of 10

### 10.6. Hazardous decomposition products

Refer to section 5.3.

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) 29412 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
	Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl						
	oral	LD50 >2000 mg/kg	Rat				

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (Polysulfide, Di-tert-butyl-; Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl; Magnesium metaborate)

Frequently or prolonged contact with skin may cause dermal irritation.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

# 11.2. Information on other hazards

### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

## **Further information**

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the preparation/mixture itself.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# AVISTA peer EVO PRIME GL4/GL5 SAE 80W-90

Revision date: 30.06.2023 Product code: 150214 Page 8 of 10

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
68937-96-2	Polysulfide, Di-tert-butyl-								
	Acute crustacea toxicity	EC50	63 mg/l	48 h	Daphnia magna (Big water flea)				
64742-55-8	Distillates (petroleum), hy	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified							
	Acute fish toxicity	LC50 mg/l	>100	96 h	Pimephales promelas	OECD 203			
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Pseudokirchneriella subcapitata	OECD 201			
	Acute crustacea toxicity	EC50 mg/l	>10000	48 h	Daphnia magna	OECD 202			
	Fish toxicity	NOEC mg/l	>1000	14 d	Oncorhynchus mykiss	QSAR			
	Crustacea toxicity	NOEC	10 mg/l	21 d	Daphnia magna	OECD 211			

### 12.2. Persistence and degradability

There are no data available on the preparation/mixture itself.

Not readily biodegradable (according to OECD criteria). Data apply to the main component.

### 12.3. Bioaccumulative potential

There are no data available on the preparation/mixture itself.

#### 12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

Do not allow uncontrolled discharge of product into the environment.

#### **Further information**

There are no data available on the preparation/mixture itself.

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

The allocation of waste code numbers/ descriptions shall be carried out in accordance with the List of Wastes Resolution 2000/532/EC on an industry- and process-specific basis.

#### List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste

# List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# AVISTA peer EVO PRIME GL4/GL5 SAE 80W-90

Revision date: 30.06.2023 Product code: 150214 Page 9 of 10

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances;

hazardous waste

#### Contaminated packaging

Packaging containing oil is classified as packaging of pollutant-containing products. They are therefore not subject to collection by nationwide packaging take-back systems.

Oil packaging that has been emptied down to the residues that usually remain in it is subject to take-back by manufacturers and distributors.

Recommendation for disposal: Contacting the supplier / contractual partner.

### **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

### National regulatory information



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# AVISTA peer EVO PRIME GL4/GL5 SAE 80W-90

Revision date: 30.06.2023 Product code: 150214 Page 10 of 10

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Observe in addition any national regulations!

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2.

### Abbreviations and acronyms

Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Eve Dam: Eve damage Skin Sens: Skin sensitisation Repr: Reproductive toxicity

Aquatic Chronic: Chronic aquatic hazard

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

### Re

Sens. 1; H317		Calculation method
Relevant H and E	EUH statements	(number and full text)
H302	Harmfu	l if swallowed.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

### **Further Information**

H304

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)