| a sheet in accordance with regulation (EC) No 1907/2006 |
|---|
|---|

AVISTA Redefining Rerefining

Trade name: AVISTA peer EVO GL4 SAE 80W-90

Substance number

Version: 7 / WORLD

Replaces Version: 6 / WORLD

Date revised: 06.06.2023 Print date: 06.06.23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

AVISTA peer EVO GL4 SAE 80W-90

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Gear oil

Uses advised against

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

AVISTA OIL Deutschland GmbH Bahnhofstr. 82 31311 Uetze Telephone no. + 495177 / 85 - 0 Information provided productmanagement (+49 5177 / 85 - 178 or 171) by / telephone E-mail address of msds@avista-oil.de person responsible for this SDS

1.4. Emergency telephone number

CHEMTREC: +1-703-527-3887 (worldwide, 24h a day / 7 days a week) +43 1 3649237 (Austria) +32 2 808 32 37 (Belgium) +359 32 570 104 (Bulgaria) +420 228 880 039 (Czech Republic) +45 69 91 85 73 (Denmark) +49 69 643508409 (Germany) +972 3-763-0639 (Israel) +371 66 165 504 (Latvia) +370 5 214 0238 (Lithuania) +60 3-9212 5794 (Malaysia) +389 2 551 7456 (Macedonia) +31 85 888 0596 (The Netherlands) +48 22 398 80 29 (Poland) +40 376 300 026 (Romania) +8 (800) 100-63-46 (Russia) +46 8 525 034 03 (Sweden) +386 1 888 80 16 (Slovenia) +886 2 7741 4207 (Taiwan) +380 94 710 1374 (Ukraine) +36 1 808 8425 (Hungary)

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

| Safety data sheet in accordar | ce with regulation (EC) N | | AVISTA OIL AC edefining Rerefining |
|-----------------------------------|--|---------------------------|---|
| Trade name: AVISTA peer E | VO GL4 SAE 80W-90 | | <u> </u> |
| Substance number | Versic | n: 7 / WORLD | Date revised: 06.06.202 |
| | Repla | ces Version: 6 / WORLD | Print date: 06.06.2 |
| | | | |
| - | ng to regulation (EC | • | 1 |
| EUH208 Contains ** | • | | diphosphorus pentasulfide, aoxide, and salted by amines, |
| | | | adiazolidine-2,5-dithione, |
| | | | produce an allergic reaction. |
| 2.3. Other hazards | | | |
| | film on the water surface | that can prevent oxygen o | exchange. Refer to section 11, 12 |
| and 15. | | | - |
| SECTION 3: Compo | sition/informatio | n on ingredients | *** |
| 3.2. Mixtures | | | |
| Hazardous ingredie | nts (Regulation (EC) I | No. 1272/2008) *** | |
| U | | • | asulfide, propoxylated, esterfied |
| with diphosphorus p | | y amines, C12-14- tert-a | |
| EINECS no. | 931-384-6 | | |
| Registration no. Concentration | 01-2119493620-38 >= 1 | < 2,5 % | |
| | lation (EC) No. 1272/200 | | |
| | Eye Irrit. 2 | -, H319 | |
| | Acute Tox. 4 | H302 | |
| | Skin Sens. 1B Aquatic Chronic 2 | H317 H411 | |
| | | | |
| Concentration limits | (Regulation (EC) No. 12 Skin Sens. 1B H3 | 72/2008) 817 > 9,39 % | |
| | | 319 50,01 % | |
| cATpE ora | | 500 mg/kg | |
| | | bered, saturated and un | saturated)-alkylamines |
| CAS No. | 1213789-63-9 | | |
| EINECS no. Registration no. | 627-034-4 01-2119473797-19 | | |
| Concentration | >= 0,25 | < 1 % | |
| Classification (Regu | lation (EC) No. 1272/200 | | |
| | Eye Dam. 1 | H318 | |
| | Aquatic Acute 1 | H400 | |
| | Aquatic Chronic 1 Asp. Tox. 1 | H410 H304 | |
| | Skin Corr. 1B | H314 | |
| | STOT RE 2 | H373 | |
| | STOT SE 3 | H335 | |
| | Acute Tox. 4 | H302 | |
| Concentration limits | (Regulation (EC) No. 12 | | |
| | Aquatic Acute 1 H ² Aquatic Chronic 1 H ² | M = 10 M = 10 | |
| | | -dithione, formaldehyde | e and phenol, heptyl derivs. |
| EINECS no. | 939-460-0 01-2119971727-23 | | |
| Registration no. Concentration | >= 0,1 | < 1 % | |
| | lation (EC) No. 1272/200 | | |
| | Eyè Dam. 1 | H318 | |
| | Skin Irrit. 2 | H315 | |
| | Skin Sens. 1B | H317 | |

| Safety data sheet in accordance with regulation (EC) No 1907/2006 | AVISTA OIL AG |
|---|------------------------------|
| | Redefining Rerefining |

Trade name: AVISTA peer EVO GL4 SAE 80W-90

Substance number

Version: 7 / WORLD

Date revised: 06.06.2023

Replaces Version: 6 / WORLD

Print date: 06.06.23

Aquatic Chronic 3 H412

Supplemental information

The substance is contained in the Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

Other information

Test data shows that the contained (Z) -octadec-9-enylamine, C16-18 (even numbered, saturated and unsaturated) alkylamines do not lead to a classification of the product as "Aquatic Chronic 2". All concentrations are units of weight percent for liquids, and unit of volume percent for gaseous products. Other substances that are not classified to be hazardous, up to 100%. Complete text of hazard statements in chapter 16 Mixtures are not subject to registration.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of persistent symptoms consult doctor. Remove soiled or soaked clothing immediately, do not allow to dry. Never give anything by mouth to an unconscious person.

After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.

After skin contact

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists. Remove contaminated clothing.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, Dry powder, Carbon dioxide, Water spray jet

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Pyrolysis products; Hydrocarbons; Carbon dioxide (CO2); Carbon monoxide (CO); Hydrogen sulfide (H2S); Nitrogen oxides (NOx); Phosphorus oxides; Smoke.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Trade name: AVISTA peer EVO GL4 SAE 80W-90

Substance number

Version: 7 / WORLD

Date revised: 06.06.2023

Replaces Version: 6 / WORLD

Print date: 06.06.23

In case of combustion use a suitable breathing apparatus. Wear full protective suit. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Exclude sources of ignition and ventilate the area. Avoid contact with skin, eyes and clothing. High risk of slipping due to leakage/spillage of product. Avoid breathing vapours.

6.2. Environmental precautions

Do not allow to enter drains or waterways. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). When picked up, treat material as prescribed under Section 13 "Disposal".

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of oil dust. Hot product develops flammable vapours. Handle and open container with care. Avoid skin and eye contact.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. Do not smoke. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

| Recommended storage | temperate | ure |
|----------------------------|-----------|-----|
| Value | < | 50 |

°C

Requirements for storage rooms and vessels

Keep only in original packaging.

Hints on storage assembly

Keep away from flammable substances.

Storage class according to TRGS 510

Storage class according to 10 Flammable liquids TRGS 510

Further information on storage conditions

Keep container tightly closed and dry. Keep in a cool place

7.3. Specific end use(s)

see product information

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

Distillates (petroleum), hydrotreated heavy paraffinic

| Туре | Ölnebel | |
|--------------|-------------|-------|
| Value | 5 | mg/m³ |
| Remarks: TWA | | |

Redefining Rerefining

Trade name: AVISTA peer EVO GL4 SAE 80W-90

Substance number

Version: 7 / WORLD

Date revised: 06.06.2023

Replaces Version: 6 / WORLD

Print date: 06.06.23

Other information

Contains no substances with occupational exposure limit values.

8.2. Exposure controls

Exposure controls

Technical measures for preventing exposition. Organisational measures for preventing exposition. Provide adequate ventilation. The type of personal protective equipment must be selected depending on the concentration and quantity of the hazardous substance at the workplace.

General protective and hygiene measures

Observe the usual precautions for handling chemicals. Store work clothing separately. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. Do not eat, drink or smoke during work time.

Respiratory protection

Not necessary, but do not inhale vapours. In situations where misting or flying may occur use appropriate certified respirators. Short term: filter apparatus, Filter A/P2

Hand protection

For this purpose, protective gloves are suitable, for instance, made by the company KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail: vertrieb@kcl.de with the following specification (tested as per EN374):

Camatril (Item No: 731; Material: Nitrile; Minimum layer thickness: 0.33 mm; Burst time: 480 min) Dermatril (Item No: 740; Material: Nitrile; Minimum layer thickness: 0.11 mm; Burst time: 30 min) The protective gloves to be used must comply with the specifications of the EU directive 89/686/EEC and the standard EN374 derived from it. The above mentioned burst times are based on laboratory measurements of KCL made as per EN 374 and a re applicable only for this KCL product. Preventive skin protection by protective skin ointment.

Eye protection

Tightly fitting safety glasses

Body protection

Clothing as usual in the chemical industry. Protective gloves resistant to chemicals

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Form | liquid | |
|---|---------------------|------|
| Colour | brown | |
| Odour | characteristic | |
| Melting point | | |
| Remarks | not determined | |
| Freezing point | | |
| Remarks | not determined | |
| Initial boiling point and be | oiling range | |
| Value | > 200 | °C |
| Flammability (solid, gas) Not applicable | | |
| Upper/lower flammability | or explosive limits | |
| Lower explosion limit | 0,6 | %(V) |
| Upper explosion limit | 6,5 | %(V) |
| Flash point | | |
| Value | 222 | °C |
| | | |

| Safety data sheet in accordance with re | | 07/200 | | Redefining R | STA OIL AG |
|--|---------------------|----------|-------------|--------------|---------------------------|
| Trade name: AVISTA peer EVO GL4 S | SAE 80W-90 | | | | |
| Substance number | Version: 7 | / WOR | LD | | Date revised: 06.06.2023 |
| | Replaces \ | /ersion: | 6 / WORL | D | Print date: 06.06.23 |
| Method | DIN ISO 2592 | | | | |
| Pour Point | | | | | |
| Value Method | -27 DIN/ISO 3016 | | | °C | |
| Ignition temperature | DIN/ISO 3010 | | | | |
| Remarks | not determined | | | | |
| Decomposition temperature | | | | | |
| Remarks | not determined | | | | |
| pH value | | | | | |
| Remarks | Not applicable | | | | |
| Viscosity | | | | | |
| kinematic | 400 | | | 21 | |
| Value Temperature | 128 40 | °C | | mm²/s | |
| kinematic | | Ŭ | | | |
| Value | 14,0 | | | mm²/s | |
| Temperature | 100 | °C | | | |
| Solubility(ies) Remarks | | | | | |
| Partition coefficient: n-octar | virtually insoluble | ; | | | |
| Remarks | not determined | | | | |
| Vapour pressure | not determined | | | | |
| Remarks | not determined | | | | |
| Density | | | | | |
| Value | 0,883 | to | 0,893 | g/cm³ | |
| Temperature | 15 | °C | | | |
| Vapour density | u of dotomotic od | | | | |
| Remarks | not determined | | | | |
| Particle characteristics Remarks | Not applicable | | | | |
| | | | | | |
| 9.2. Other information Other information | | | | | |
| None known | | | | | |
| | | | | | |
| SECTION 10: Stability and | reactivity | | | | |
| 10.1. Reactivity No hazardous reactions wher | stored and handled | accord | ing to pres | cribed instr | uctions. |
| 10.2. Chemical stability Stable under recommended s | torage and handling | conditi | ons (see se | ction 7). | |
| 10.3. Possibility of hazardous Evolution of flammable mixtur misting. | | ien hea | ted above f | lash point a | and/or during spraying or |
| 10.4. Conditions to avoid Oxidising agents | | | | | |
| Decomposition temperature | • | | | | |
| | | | | | |

| Trade name: AVISTA peer EVO | GL4 SAE 80W-90 | |
|--|--|--------------------------|
| Substance number | Version: 7 / WORLD | Date revised: 06.06.2023 |
| | Replaces Version: 6 / WORLD | Print date: 06.06.23 |
| | | |
| Remarks | not determined | |
| 10.6. Hazardous decomp Refer to section 5.3. | osition products | |
| SECTION 11: Toxicolo | gical information | |
| 11.1. Information on toxic | cological effects | |
| Acute oral toxicity | | |
| ATE Method | > 10.000 mg/kg calculated value (Regulation (EC) No. 1272/20 | 008) |
| Acute dermal toxicity | | |
| Remarks | Based on available data, the classification crite | eria are not met. |
| Acute inhalational toxi | • | |
| Remarks | Based on available data, the classification crite | eria are not met. |
| Skin corrosion/irritatio | | |
| Remarks Remarks | Based on available data, the classification crite Frequent persistent contact with the skin can d | |
| Serious eye damage/ir | ritation | |
| Remarks | Based on available data, the classification crite | eria are not met. |
| Sensitization | | |
| Remarks | Based on available data, the classification crite | eria are not met. |
| Mutagenicity | | |
| Remarks | Based on available data, the classification crite | eria are not met. |
| Reproductive toxicity | | |
| Remarks | Based on available data, the classification crite | eria are not met. |
| Carcinogenicity | | |
| Remarks | Based on available data, the classification crite | eria are not met. |
| Specific Target Organ | • • • | |
| Remarks | Based on available data, the classification crite | eria are not met. |
| Aspiration hazard Based on available data | a, the classification criteria are not met. | |
| 11.2 Information on othe | r hazards | |
| | | |

 $\mathbf{\Lambda}$

Other information

The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and classified for toxicological hazards accordingly. There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

General information

There are no data available on the mixture itself. The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

12.2. Persistence and degradability

| Safety data sheet in accordance with | regulation (EC) No 1907/2006 | |
|--------------------------------------|------------------------------|--------------------------|
| Trade name: AVISTA peer EVO GL | 4 SAE 80W-90 | |
| Substance number | Version: 7 / WORLD | Date revised: 06.06.2023 |

Replaces Version: 6 / WORLD

Print date: 06.06.23

General information

There are no data available on the mixture itself.

Biodegradability Remarks

The product is not readily biodegradable according to OECD criteria but is inherently biodegradable.

12.3. Bioaccumulative potential

General information

There are no data available on the mixture itself.

Partition coefficient: n-octanol/water

not determined

Remarks 12.4. Mobility in soil

General information

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

Evaluation of persistance and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information / ecology

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code 13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

Dispose of as hazardous waste.

The waste code numbers/waste designations are to be assigned in accordance with EWC with reference to industrial fields and processes.

Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste. Uncontaminated packaging may be taken for recycling. Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

Land transport ADR/RID

The product does not constitute a hazardous substance in land transport.

- 14.1. UN number
- UN -
- 14.2. UN proper shipping name

| Trade name: AVISTA peer EVO GL4 S | AE 80W-90 | |
|--|---|--------------------------|
| Substance number | Version: 7 / WORLD | Date revised: 06.06.2023 |
| | Replaces Version: 6 / WORLD | Print date: 06.06.23 |
| 14.3. Transport hazard class(es | 3) | |
| Class | - | |
| 14.4. Packing group | | |
| Packing group 14.5. Environmental hazards | - | |
| - | | |
| Marine transport IMDG/GGVSe The product does not constitut 14.1. UN number UN - | ee te a hazardous substance in sea transport. | |
| 14.2. UN proper shipping name | | |
| 14.3. Transport hazard class(es Class | 5) - | |
| 14.4. Packing group Packing group | - | |
| Air transport ICAO/IATA | | |
| The product does not constitut 14.1. UN number UN - | te a hazardous substance in air transport. | |
| 14.2. UN proper shipping name | | |
| 14.3. Transport hazard class(es Class | s) - | |
| 14.4. Packing group | | |
| Packing group | - | |
| 14.5. Environmental hazards | | |
| Information for all modes of tr | ansport | |
| 14.6. Special precautions for us The relevant transport regulati | | |
| Other information 14.7. Transport in bulk accordin | ng to Annex II of Marpol and the IBC Code | |
| no | | |
| SECTION 15: Regulatory in | nformation *** | |
| | | cific for the substance |

The product contains SVHC-substances

15.2. Chemical safety assessment For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

| | - |
|------|---|
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| | |

| Safety data sheet in accordance v | | ISTA OIL AG | | | |
|--|--|---|--|--|--|
| Trade name: AVISTA peer EVO GL4 SAE 80W-90 | | | | | |
| Substance number | Version: 7 / WORLD | Date revised: 06.06.2023 | | | |
| | Replaces Version: 6 / WORLD | Print date: 06.06.23 | | | |
| H317 | May cause an allergic skin reaction. | | | | |
| H318 | Causes serious eye damage. | | | | |
| H319 | Causes serious eye irritation. | | | | |
| H335 | May cause respiratory irritation. | | | | |
| H373 | May cause damage to organs through prolong | ed or repeated exposure. | | | |
| H400 | Very toxic to aquatic life. | 4- | | | |
| H410 | | Very toxic to aquatic life with long lasting effects. | | | |
| H411 | | Toxic to aquatic life with long lasting effects. | | | |
| | H412 Harmful to aquatic life with long lasting effects. | | | | |
| CLP categories listed in | - | | | | |
| Acute Tox. 4 | Acute toxicity, Category 4 | | | | |
| Aquatic Acute 1 | | Hazardous to the aquatic environment, acute, Category 1 | | | |
| Aquatic Chronic 1 | Hazardous to the aquatic environment, chronic | | | | |
| Aquatic Chronic 2 | Hazardous to the aquatic environment, chronic, Category 2 | | | | |
| Aquatic Chronic 3 | Hazardous to the aquatic environment, chronic, Category 3 | | | | |
| Asp. Tox. 1 | Aspiration hazard, Category 1 | | | | |
| Eye Dam. 1 | Serious eye damage, Category 1 | | | | |
| Eye Irrit. 2 | Eye irritation, Category 2 | | | | |
| Skin Corr. 1B | Skin corrosion, Category 1B | | | | |
| Skin Irrit. 2 Skin Sens. 1B | Skin irritation, Category 2 Skin sensitization, Category 1B | | | | |
| STOT RE 2 | Specific target organ toxicity - repeated expos | ure Category 2 | | | |
| STOT SE 3 | Specific target organ toxicity - repeated expos | | | | |
| | | | | | |
| Supplemental information | | | | | |

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.